

American Journal of Physiology: Renal, Fluid and Electrolyte Physiology

No. 1. JULY 1994

EDITORIAL REVIEW

- Hydrogen and potassium regulation of (pro)renin processing and secretion
J. A. King and J. C. S. Fray F1
-
- Regulation of ion content and cell volume in isolated rat renal IMCD cells under hypertonic conditions
J. M. Grunewald, R. W. Grunewald, and R. K. H. Kinne F13
- Acute renal effects of neutral endopeptidase inhibition in humans
F. Schmitt, F. Martinez, A. Ikeni, C. Savoie, S. Natov, K. Laborde, B. Lacour, J.-P. Grünfeld, and T. Hannedouche F20
- Induction of gene expression by heat shock versus osmotic stress
D. Sheikh-Hamad, A. García-Pérez, J. D. Ferraris, E. M. Peters, and M. B. Burg F28
- Glomerular adaptations with normal aging and with long-term converting enzyme inhibition in rats
S. Anderson, H. G. Rennke, and R. Zatz F35
- Prostaglandins mediate the defect in AVP-stimulated cAMP generation in immature collecting duct
M. Bonilla-Felix and C. John-Phillip F44
- Ontogeny of cortical collecting duct sodium transport
V. M. Vehaskari F49
- Insulin enhances sodium sensitivity of Na-K-ATPase in isolated rat proximal convoluted tubule
E. Féraille, M. L. Carranza, M. Rousselot, and H. Favre F55
- Regulation of Na⁺-K⁺-2Cl⁻ cotransport activity in rabbit proximal tubule in primary culture
N. J. H. Raat, A. Hartog, C. H. van Os, and R. J. M. Bindels F63
- Functional expression of human renal Na⁺/Ca²⁺ exchanger in insect cells
T. W. Loo and D. M. Clarke F70
- Expression and molecular regulation of Na⁺-K⁺-ATPase after renal ischemia
S. K. Van Why, A. S. Mann, T. Ardito, N. J. Siegel, and M. Kashgarian F75
- Active lithium transport by rat renal proximal tubule: a micropuncture study
P. P. Leyssac, O. Frederiksen, N.-H. Holstein-Rathlou, A. C. Alfrey, and P. Christensen F86
- Cyclooxygenase inhibitors suppress inhibitory effect of PGE₂ on Na-K-ATPase in MDCK cells
R. Cohen-Luria, A. Moran, and G. Rimon F94
- Juxtamedullary microvascular dysfunction during the hyperfiltration stage of diabetes mellitus
K. Ohishi, M. I. Okwueze, R. C. Vari, and P. K. Carmines F99
- Acidification of vasopressin-induced endosomes in toad urinary bladder
F. Emma, H. W. Harris, and K. Strange F106
- Stimulation of total CO₂ flux by 10% CO₂ in rabbit CCD: role of an apical Sch-28080- and Ba-sensitive mechanism
X. Zhou and C. S. Wingo F114
- Axial heterogeneity of potassium transport across hamster thick ascending limb of Henle's loop
S. Tsuruoka, C. Koseki, S. Muto, K. Tabei, and M. Imai F121

Intracellular Ca^{2+} release and Ca^{2+} influx during regulatory volume decrease in IMCD cells <i>H. Tinel, F. Wehner, and H. Sauer</i>	F130
Impairment of renal medullary osmolyte accumulation in potassium-depleted rats <i>T. Nakanishi, Y. Takamitsu, H. Nakahama, and M. Sugita</i>	F139
Organic osmolytes in rat renal inner medulla are modulated by vasopressin V_1 and/or V_2 antagonists <i>T. Nakanishi, A. Yamauchi, H. Nakahama, Y. Yamamura, Y. Yamada, Y. Orita, Y. Fujiwara, N. Uyeda, Y. Takamitsu, and M. Sugita</i>	F146
Stimulatory effect of calcium on metabolism and its sensitivity to pH in kidney mitochondria <i>K. Drewnowska and A. C. Schoolwerth</i>	F153

MODELING IN PHYSIOLOGY

Detection of interactions between myogenic and TGF mechanisms using nonlinear analysis <i>K. H. Chon, Y.-M. Chen, V. Z. Marmarelis, D. J. Marsh, and N.-H. Holstein-Rathlou</i>	F160
--	------

SPECIAL COMMUNICATION

Estimation of renal interstitial adenosine and purine metabolites by microdialysis <i>R. L. Baranowski and C. Westenfelder</i>	F174
---	------

RAPID COMMUNICATIONS

Ca^{2+} -dependent activation of T-type Ca^{2+} channels by calmodulin-dependent protein kinase II <i>H.-K. Lu, R. J. Fern, J. J. Nee, and P. Q. Barrett</i>	F183
Decrease in ambient $[\text{Cl}^-]$ stimulates nitric oxide release from cultured rat mesangial cells <i>H. Tsukahara, Y. Krivenko, L. C. Moore, and M. S. Goligorsky</i>	F190

ANNOUNCEMENTS

No. 2. AUGUST 1994

EDITORIAL REVIEW

Cytokines and L-arginine in renal injury and repair <i>M. Ketteler, W. A. Border, and N. A. Noble</i>	F197
Effects of growth hormone on rat renal epidermal growth factor expression <i>S. A. Rogers, J. Rasmussen, S. B. Miller, and M. R. Hammerman</i>	F208
PCR localization of C-type natriuretic peptide and B-type receptor mRNAs in rat nephron segments <i>Y. Terada, K. Tomita, H. Nonoguchi, T. Yang, and F. Marumo</i>	F215
Tubuloglomerular feedback and tubular reabsorption during acute potassium loading in rats <i>B. Braam, P. Boer, and H. A. Koomans</i>	F223
Regional expression of hepatocyte growth factor/ <i>c-met</i> in experimental renal hypertrophy and hyperplasia <i>M. Joannidis, K. Spokes, T. Nakamura, D. Faletto, and L. G. Cantley</i>	F231
Ammonia transport in a mathematical model of rat proximal tubule <i>A. M. Weinstein</i>	F237
Juxtamedullary microvascular responses to arginine vasopressin in rat kidney <i>L. M. Harrison-Bernard and P. K. Carmines</i>	F249

Mechanisms of recovery from mechanical injury of renal tubular epithelial cells <i>H. T. Sponkel, R. Breckon, W. Hammond, and R. J. Anderson</i>	F257
Insulin stimulates NaCl transport in isolated perfused MTAL of Henle's loop of rabbit kidney <i>O. Ito, Y. Kondo, N. Takahashi, K. Kudo, Y. Igarashi, K. Omata, Y. Imai, and K. Abe</i>	F265
Regulation of mitogenesis, motogenesis, and tubulogenesis by hepatocyte growth factor in renal collecting duct cells <i>L. G. Cantley, E. J. G. Barros, M. Gandhi, M. Rauchman, and S. K. Nigam</i>	F271
Effect of losartan and enalapril on renal adaptation to sodium restriction in rat <i>B. Jover, D. Saladini, N. Nafrialdi, M. Dupont, and A. Mimran</i>	F281
ATP inhibits the hydrosмотic effect of AVP in rabbit CCT: evidence for a nucleotide P _{2u} receptor <i>D. Rouse, M. Leite, and W. N. Suki</i>	F289
Localization and regulation of endothelial NO synthase mRNA expression in rat kidney <i>K. Ujiie, J. Yuen, L. Hogarth, R. Danziger, and R. A. Star</i>	F296
Expression of plasminogen/plasmin receptors on human glomerular epithelial cells <i>L. Becquemont, G. Nguyen, M.-N. Peraldi, C.-J. He, J.-D. Sraer, and E. Rondeau</i>	F303
Cloning and expression of a renal Na-P _i cotransport system from flounder <i>A. Werner, H. Murer, and R. K. H. Kinne</i>	F311
Expression of mRNA for natriuretic peptide receptor subtypes in bovine kidney <i>T. Yamamoto, L. Feng, T. Mizuno, S. Hirose, K. Kawasaki, E. Yaoita, I. Kihara, and C. B. Wilson</i>	F318
Distribution of kallikrein-binding protein mRNA in kidneys and difference between SHR and WKY rats <i>T. Yang, Y. Terada, H. Nonoguchi, M. Tsujino, K. Tomita, and F. Marumo</i>	F325

No. 3. SEPTEMBER 1994

EDITORIAL REVIEW

Role of arginine in health and in renal disease <i>A. A. Reyes, I. E. Karl, and S. Klahr</i>	F331
<hr/>	
Apical membrane and intracellular distribution of endogenous α_{2A} -adrenergic receptors in MDCK cells <i>M. D. Okusa, K. R. Lynch, D. L. Rosin, L. Huang, and Y. Y. Wei</i>	F347
cAMP-dependent effects of vasopressin and calcitonin on cytosolic calcium in rat CCD <i>E. Siga, A. Champigneulle, and M. Imbert-Teboul</i>	F354
Hormonal regulation of MAP kinase in cultured rat inner medullary collecting tubule cells <i>L. E. Heasley, S. I. Senkfor, S. Winitz, A. Strasheim, I. Teitelbaum, and T. Berl</i>	F366
Role of nitric oxide (EDRF) in radiocontrast acute renal failure in rats <i>D. Schwartz, M. Blum, G. Peer, Y. Wollman, A. Maree, I. Serban, I. Grosskopf, S. Cabili, Y. Levo, and A. Iaina</i>	F374
Characterization of the β_2 -microglobulin endocytic pathway in rat proximal tubule cells <i>D. P. Sundin, M. Cohen, R. Dahl, S. Falk, and B. A. Molitoris</i>	F380
Effect of respiratory acidosis and respiratory alkalosis on renal transport enzymes <i>S. Eiam-ong, M. E. Laski, N. A. Kurtzman, and S. Sabatini</i>	F390
Changes in mRNAs for enzymes of glutamine metabolism in kidney and liver during ammonium chloride acidosis <i>A. C. Schoolwerth, P. A. J. deBoer, A. F. M. Moorman, and W. H. Lamers</i>	F400
Dissociation of ammoniagenic enzyme adaptation in rat S1 proximal tubules and ammonium excretion response <i>S. R. DiGiovanni, K. M. Madsen, A. D. Luther, and M. A. Knepper</i>	F407

Tyrosine protein phosphorylation in plasma membranes of rat kidney cortex <i>L. Tremblay and R. Béliveau</i>	F415
Glomerular hemodynamics in cell-free and erythrocyte-perfused isolated rat kidney <i>F. B. Gabbai, O. W. Peterson, S. Khang, C. B. Wilson, and R. C. Blantz</i>	F423
Epidermal growth factor receptor activation in developing rat kidney <i>A. V. Cybulsky, P. R. Goodyer, and A. J. McTavish</i>	F428
Effect of glucocorticoids on renal cortical NHE-3 and NHE-1 mRNA <i>M. Baum, O. W. Moe, D. L. Gentry, and R. J. Alpern</i>	F437
Effects of ANG II, ET _A , and TxA ₂ receptor antagonists on cyclosporin A renal vasoconstriction <i>J. D. Conger, G. E. Kim, and J. B. Robinette</i>	F443
Luminal acidification in K-replete OMCD _i : contributions of H-K-ATPase and bafilomycin-A ₁ -sensitive H-ATPase <i>F. E. Armitage and C. S. Wingo</i>	F450
Cellular mechanisms of glucose-induced <i>myo</i> -inositol transport upregulation in rat mesangial cells <i>A. A. Chatziliadis and C. I. Whiteside</i>	F459
Modulation of thromboxane receptor activation in rat glomerular mesangial cells <i>R. F. Spurney, J. P. Middleton, J. R. Raymond, and T. M. Coffman</i>	F467
Adaptive responses to Na ⁺ -coupled solute transport and osmotic cell swelling in salamander proximal tubule <i>S. W. Weinstein and C. Clausen</i>	F479
ATP-sensitive K ⁺ -selective channels of inner medullary collecting duct cells <i>S. C. Sansom, T. Mougouris, S. Ono, and T. D. DuBose, Jr.</i>	F489

SPECIAL COMMUNICATION

A method for isolation of rat renal microvessels and mRNA localization <i>J. C. Pelayo, M. A. Mobilia, S. Tjio, R. Singh, J. M. Nakamoto, and C. Van Dop</i>	F497
---	------

RAPID COMMUNICATION

IL-1 β stabilizes COX II mRNA in renal mesangial cells: role of 3'-untranslated region <i>S. K. Srivastava, T. Tetsuka, D. Daphna-Iken, and A. R. Morrison</i>	F504
---	------

No. 4. OCTOBER 1994

Nitric oxide inhibits bafilomycin-sensitive H ⁺ -ATPase activity in rat cortical collecting duct <i>A. Tojo, N. J. Guzman, L. C. Garg, C. C. Tisher, and K. M. Madsen</i>	F509
Heavy endosomes isolated from the rat renal cortex show attributes of intermicrovillar clefts <i>T. G. Hammond, P. J. Verroust, R. R. Majewski, K. E. Muse, and T. D. Oberley</i>	F516
Mitogenic signaling of thrombin in mesangial cells: role of tyrosine phosphorylation <i>G. Grandaliano, G. Ghosh Choudhury, P. Biswas, and H. E. Abboud</i>	F528
Maturation of proximal tubule Na ⁺ /H ⁺ antiporter activity in sheep during transition from fetus to newborn <i>E. N. Guillery, L. P. Karniski, M. S. Mathews, and J. E. Robillard</i>	F537
Rat kidney glutamyl aminopeptidase (aminopeptidase A): molecular identity and cellular localization <i>L. Song, M. Ye, M. Troyanovskaya, E. Wilk, S. Wilk, and D. P. Healy</i>	F546
ATP and calcium modulation of nonselective cation channels in IMCD cells <i>S. Ono, T. Mougouris, T. D. DuBose, Jr., and S. C. Sansom</i>	F558
Extracellular acidosis minimizes actin cytoskeletal alterations during ATP depletion <i>E. M. Fish and B. A. Molitoris</i>	F566

Functional characterization and cell immunolocalization of AQP-CD water channel in kidney collecting duct <i>K. Fushimi, S. Sasaki, T. Yamamoto, M. Hayashi, T. Furukawa, S. Uchida, M. Kuwahara, K. Ishibashi, M. Kawasaki, I. Kihara, and F. Marumo</i>	F573
Sodium and water transport in cortical collecting duct of Dahl salt-resistant rat <i>L. H. Kudo, C. T. Hawk, and J. A. Schafer</i>	F583
Involvement of actin cytoskeleton in modulation of apical K channel activity in rat collecting duct <i>W.-H. Wang, A. Cassola, and G. Giebisch</i>	F592
Two types of K ⁺ channel in thick ascending limb of rat kidney <i>W.-H. Wang</i>	F599
Inhibition of locally produced nitric oxide resets tubuloglomerular feedback mechanism <i>C. Thorup and A. E. G. Persson</i>	F606
Characterization of integrins in cultured human renal cortical tubule epithelial cells <i>E. E. Simon, C. H. Liu, M. Das, S. Nigam, T. J. Broekelmann, and J. A. McDonald</i>	F612
Renal transepithelial phosphate secretion: luminal membrane voltage and Ca ²⁺ dependence <i>M. Lu, L. E. Barber, and J. L. Renfro</i>	F624
PKC and high glucose stimulate collagen α_1 (IV) transcriptional activity in a reporter mesangial cell line <i>P. Fumo, G. S. Kuncio, and F. N. Ziyadeh</i>	F632
Physiological and immunocytochemical evidence for a putative H-K-ATPase in elasmobranch renal acid secretion <i>E. R. Swenson, A. D. Fine, T. H. Maren, E. Reale, E. R. Lacy, and A. J. Smolka</i>	F639
Arginine metabolism in experimental glomerulonephritis: interaction between nitric oxide synthase and arginase <i>H. T. Cook, A. Jansen, S. Lewis, P. Largen, M. O'Donnell, D. Reaveley, and V. Cattell</i>	F646
Morphine modulates 72-kDa matrix metalloproteinase <i>S. Sagar, D. Sorbi, L. A. Arbeit, and P. C. Singhal</i>	F654
NH ₄ ⁺ transport mediated by Na ⁺ -K ⁺ -ATPase in rat inner medullary collecting duct <i>S. M. Wall and L. M. Koger</i>	F660
Functional and molecular evidence for Shaker-like K ⁺ channels in rabbit renal papillary epithelial cell line <i>K. A. Volk, R. F. Husted, C. J. Pruchno, and J. B. Stokes</i>	F671
Presence and distribution of endothelin-1 gene expression in human kidney <i>C. Pupilli, M. Brunori, N. Misciglia, C. Selli, L. Ianni, M. Yanagisawa, M. Mannelli, and M. Serio</i>	F679
Molecular characterization of ROSIT, a renal osmotic stress-induced Na ⁺ -Cl ⁻ -organic solute cotransporter <i>J. C. Wasserman, E. Delpire, W. Tonidandel, R. Kojima, and S. R. Gullans</i>	F688

SPECIAL COMMUNICATION

Improved analysis of picomole quantities of lithium, sodium, and potassium in biological fluids <i>M. Shalmi, J. D. Kibble, J. P. Day, P. Christensen, and J. C. Atherton</i>	F695
--	------

No. 5. NOVEMBER 1994

Effect of amino acid infusion on renal hemodynamics in humans: a dose-response study <i>M. Giordano, P. Castellino, E. L. McConnell, and R. A. DeFronzo</i>	F703
Water and urea diffusive permeabilities in isolated proximal tubule cells <i>M. Echevarria, E. Gonzalez, A. Gutierrez, and G. Whittembury</i>	F709
Diverse modulations of chloride channels in renal proximal tubules <i>N. Darvish, J. Winaver, and D. Dagan</i>	F716

- Effect of norepinephrine on cellular sodium transport in *Ambystoma* kidney proximal tubule
S. Abdulnour-Nakhoul, R. N. Khuri, and N. L. Nakhoul F725
- In vivo adaptation of bicarbonate reabsorption by rat distal tubules during acid loading
D. Z. Levine, M. Iacovitti, S. Buckman, D. Vandorpe, V. Harrison, D. M. Boisvert, and S. P. Nadler F737
- In situ hybridization localization of mRNA encoding inducible nitric oxide synthase in rat kidney
K. Y. Ahn, M. G. Mohaupt, K. M. Madsen, and B. C. Kone F748
- Regulation of nitrobenzylthioinosine-sensitive adenosine uptake by cultured kidney cells
J. Sayós, J. Blanco, F. Ciruela, E. I. Canela, J. Mallol, C. Lluís, and R. Franco F758
- Induction of resistance to mineralocorticoid hormone in cultured inner medullary collecting duct cells by TGF- β 1
R. F. Husted, K. Matsushita, and J. B. Stokes F767
- Rabbit renal epithelial angiotensin II receptors
N. O. Dulin, P. Ernsberger, D. J. Suciú, and J. G. Douglas F776
- Effects of selective A₁ receptor blockade on glomerular hemodynamics: involvement of renin-angiotensin system
K. A. Munger and E. K. Jackson F783
- Coordinate regulation of 11 β -HSD and *Ke 6* genes in *cpk* mouse: implications for steroid metabolic defect in PKD
N. Aziz, M. M. Maxwell, and B. M. Brenner F791
- Influence of sodium diet on L-NAME effects on renin release and renal vasoconstriction
J. Gardes, M. F. Gonzalez, F. Alhenc-Gelas, and J. Ménard F798
- Anti-AP-1 activity of all-*trans* retinoic acid in glomerular mesangial cells
M. S. Simonson F805
- Altered renal expression of the insulin-responsive glucose transporter GLUT4 in experimental diabetes mellitus
R. G. Marcus, R. England, K. Nguyen, M. J. Charron, J. P. Briggs, and F. C. Brosius III F816
- Atrial natriuretic peptide receptors are present and functional by midgestation in fetal sheep
M. B. Fraenkel, S. J. Potocnik, and E. M. Wintour F825
- Vasopressin activates a chloride conductance in cultured cortical collecting duct cells
E. Nagy, A. Náray-Fejes-Tóth, and G. Fejes-Tóth F831
- Calcitonin gene-related peptide reduces renal vascular resistance and modulates ET-1-induced vasoconstriction
C. S. Amuchastegui, G. Remuzzi, and N. Perico F839
- Cellular distribution of ¹²⁵I-endothelin-1 binding in rat kidney following in vivo labeling
R. Dean, J. Zhuo, D. Alcorn, D. Casley, and F. A. O. Mendelsohn F845
- Abnormal leucine-induced insulin secretion in chronic renal failure
H.-Y. Oh, G. Z. Fadda, M. Smogorzewski, H.-H. Liou, and S. G. Massry F853
- Osmotic barrier of the parietal peritoneum
M. F. Flessner F861
- Bradykinin-induced in vitro contraction of rat mesangial cells via a B₂ receptor type
J.-L. Bascands, C. Pecher, G. Bompard, J. Rakotoarivony, J. L. Tack, and J.-P. Girolami F871
- Autoregulation of afferent arteriolar blood flow in juxtamedullary nephrons
T. Takenaka, L. M. Harrison-Bernard, E. W. Inscho, P. K. Carmines, and L. G. Navar F879
- In vivo and in vitro detachment of proximal tubular cells and F-actin damage: consequences for renal function
B. van de Water, J. J. P. T. G. Jaspers, D. H. Maasdam, G. J. Mulder, and J. F. Nagelkerke F888

RAPID COMMUNICATION

Cellular mechanisms of acute and chronic adaptation of rat renal P_i transporter to alterations in dietary P_i

M. Levi, M. Lötscher, V. Sorribas, M. Custer, M. Arar, B. Kaissling, H. Murer, and J. Biber

F900

No. 6. DECEMBER 1994

Chronic, intermittent loading alters mechanosensitive channel characteristics in osteoblast-like cells

R. L. Duncan and K. A. Hruska

F909

Proteinuria and impaired glomerular permselectivity in uninephrectomized fawn-hooded rats

J. D. Oliver III, J. L. Simons, J. L. Troy, A. P. Provoost, B. M. Brenner, and W. M. Deen

F917

Potentiated 1,25(OH) $_2$ D $_3$ -induced 24-hydroxylase gene expression in uremic rat intestine

H. Koyama, M. Inaba, Y. Nishizawa, E. Ishimura, Y. Imanishi, M. Hino, T. Furuyama, H. Takagi, and H. Morii

F926

Anatomic pairing of afferent arterioles and renin cell distribution in rat kidneys

D. Casellas, M. Dupont, N. Bouriquet, L. C. Moore, A. Artuso, and A. Mimran

F931

Transforming growth factor- β expression in macrophages during hypercholesterolemic states

G. Ding, H. Van Goor, J. Frye, and J. R. Diamond

F937

Association and interactions of GTP-binding proteins with rat medullary H $^+$ -ATPase

N. J. Brunskill, J. J. Morrissey, and S. Klahr

F944

Distribution of Cl $^-$ /HCO $_3^-$ exchange and intercalated cells in rabbit cortical collecting duct

I. D. Weiner, A. E. Weill, and A. R. New

F952

Role of renal dopamine D $_1$ receptors in natriuresis induced by calcium channel blockers

G. M. Eisner, I. Yamaguchi, R. A. Felder, L. D. Asico, and P. A. Jose

F965

The microtubule network of renal epithelial cells is disrupted by ischemia and reperfusion

M. Abbate, J. V. Bonventre, and D. Brown

F971

H $^+$ secretion in rabbit mesonephric collecting tubule

L. M. Satlin, K. Yasoshima, and G. J. Schwartz

F979

Expression of acid-base-related proteins in mesonephric kidney of the rabbit

T. Matsumoto, C. A. Winkler, L. P. Brion, and G. J. Schwartz

F987

Extracellular ATP increases intracellular calcium in rat terminal collecting duct via a nucleotide receptor

C. A. Ecelbarger, Y. Maeda, C. C. Gibson, and M. A. Knepper

F998

Ba $^{2+}$ -sensitive K $^+$ channels in basal membrane of confluent Madin-Darby canine kidney cells

X. Y. Wang, P. J. Harris, and R. E. Kemm

F1007

Acute acidosis inhibits liver amino acid transport: no primary role for the urea cycle in acid-base balance

L. Boon, P. J. E. Blommaart, A. J. Meijer, W. H. Lamers, and A. C. Schoolwerth

F1015

Energy transfer assays of rat renal cortical endosomal fusion: evidence for superfusion

T. G. Hammond, R. R. Majewski, K. E. Muse, T. D. Oberley, L. W. Morrissey, and A. M. Amendt-Raduege

F1021

Dissociation between antiproteinuric and antihypertensive effect of angiotensin converting enzyme inhibitors in rats

A. Remuzzi, O. Imberti, S. Puntorieri, B. Malanchini, D. Macconi, L. Magrini, T. Bertani, and G. Remuzzi

F1034

Angiotensin II regulates H $^+$ -ATPase activity in rat cortical collecting duct

A. Tojo, C. C. Tisher, and K. M. Madsen

F1045

Role of CD11a and CD11b in ischemic acute renal failure in rats <i>H. Rabb, C. C. Mendiola, J. Dietz, S. R. Saba, T. B. Issekutz, F. Abanilla, J. V. Bonventre, and G. Ramirez</i>	F1052
Determinants of intrarenal oxygenation. I. Effects of diuretics <i>M. Brezis, Y. Agmon, and F. H. Epstein</i>	F1059
Determinants of intrarenal oxygenation. II. Hemodynamic effects <i>M. Brezis, S. N. Heyman, and F. H. Epstein</i>	F1063
Abnormal regulation of renal proximal tubule Na ⁺ -K ⁺ -ATPase by G proteins in spontaneously hypertensive rats <i>R. W. Gurich and R. E. Beach</i>	F1069
Differential effects of extracellular anions on renin secretion from isolated perfused rat kidneys <i>H. Scholz, K.-H. Götz, M. Hamann, and A. Kurtz</i>	F1076
Murine polycystic kidney epithelial cell lines have increased integrin-mediated adhesion to collagen <i>J. van Adelsberg</i>	F1082
Renal hypertrophy is associated with upregulation of TGF- β 1 gene expression in diabetic BB rat and NOD mouse <i>K. Sharma and F. N. Ziyadeh</i>	F1094
Physiological and structural responses to chronic experimental renal allograft injury <i>A. Junaid, S. M. Kren, M. E. Rosenberg, K. A. Nath, and T. H. Hostetter</i>	F1102
<hr/>	
<i>Subject Index to Volume 36</i>	F1109
<i>Author Index to Volume 36</i>	F1117

CORRIGENDA

Volume 267, July 1994
Volume 36, July 1994

Pages F160–F173: K. H. Chon, Y.-M. Chen, V. Z. Marmarelis, D. J. Marsh, and N.-H. Holstein-Rathlou. "Detection of interactions between myogenic and TGF mechanisms using nonlinear analysis." *Pages F168–F169:* The original Figs. 8–11 do not give sufficient detail of the contour plots. New, higher resolution images are reproduced here with the original legends.

